SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

PLA Matt

of the mixture

Registration number

Synonyms PLAM

Issue date 11-September-2019

Version number 02

Revision date 11-September-2019
Supersedes date 11-September-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses3D printer filamentUses advised againstNone known.1.3. Details of the supplier of the safety data sheet

Supplier

Company name MCPP Netherlands BV

Address Grasbeemd 19, 5705DE Helmond, The Netherlands

Telephone +31 (0)492 210 210 (Office hours Mo. - Fr. 8:30 - 17:00)

Contact person Product Compliance

e-mail product.compliance@mcpp-europe.com

1.4. Emergency telephone

number

+31 (0)30 274 8888, only for the doctor

National Poison Information Center Utrecht, The Netherlands

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Prolonged exposure may cause chronic effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information Under CLP Regulation (EC) No 1272/2008 and its amendments, labelling is not required for

mixtures containing polymers or elastomers but the information appears in the Safety Data Sheet.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: PLAM MIX SDS EU

General information

levels

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Polylactic acid (PLA) resin	60 - < 70	Proprietary	-	-	
		-			
Classification: -					
Respirable Crystaline Silica	< 0,2	14808-60-7	-	-	#
(Encapsulated)		238-878-4			
Classification: STOT RE	1;H372				
Other components below reportable	30 - < 40				

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Not likely, due to the form of the product. If exposed to excessive levels of dusts or fumes, remove

to fresh air and get medical attention if cough or other symptoms develop.

Skin contact If burned by contact with hot material, cool molten material adhering to skin as quickly as possible

with water, and see a physician for removal of adhering material and treatment of burn. Do not

peel polymer from the skin.

Not likely, due to the form of the product. If hot product contacts eye, flush with water for at least Eye contact

15 minutes and seek medical attention immediately.

Ingestion Not likely, due to the form of the product.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing

media 5.2. Special hazards arising

During fire, gases hazardous to health may be formed.

from the substance or mixture 5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. For non-emergency

personnel

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal.

For waste disposal, see section 13 of the SDS.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Material name: PLAM MIX SDS EU

48326 Version #: 02 Revision date: 11-September-2019 Issue date: 11-September-2019

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occ

Austria. MAK List, OEL Ordinance (Gw ['] Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	MAK	0,15 mg/m3	Respirable dust.	
Belgium. Exposure Limit Values.				
Components	Туре	Value	Form	
Respirable Crystaline Silica Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.	
Bulgaria. OELs. Regulation No 13 on p	rotection of workers agai	nst risks of exposure to chem	nical agents at work	
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,07 mg/m3	Respirable fraction.	
Croatia. Dangerous Substance Exposu	re Limit Values in the Wo	orkplace (ELVs), Annexes 1 ar	nd 2, Narodne Novine, 13/0	
Components	Туре	Value		
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	MAC	0,1 mg/m3		
Czech Republic. OELs. Government De	cree 361			
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.	
Denmark. Exposure Limit Values				
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TLV	0,3 mg/m3	Total	
		0,1 mg/m3	Respirable.	
Estonia. OELs. Occupational Exposure	Limits of Hazardous Sul	hetances (Anney of Regulation	n No. 293 of 18 Sentembe	
2001)	Limito of Fluzuraous Gui	ootanooo: (Annox or Rogalatio	in ito: 200 or to coptombo	
Components	Type	Value	Form	
Respirable Crystaline Silica Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Fine dust, respiratory fraction	
Finland. Workplace Exposure Limits				
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.	
France. Threshold Limit Values (VLEP)	for Occupational Exposi	ure to Chemicals in France. IN	IRS ED 984	
talaco (* LLI)	Туре	Value	Form	

Material name: PLAM MIX SDS EU

0,1 mg/m3

48326 Version #: 02 Revision date: 11-September-2019 Issue date: 11-September-2019

Regulatory binding (VRC)

VME

Respirable Crystaline Silica

Regulatory status:

(Encapsulated) (CAS

14808-60-7)

Respirable fraction.

Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,15 mg/m3	Respirable.	
celand. OELs. Regulation 154/1999 on o	cupational exposure l			
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,3 mg/m3	Total dust.	
		0,1 mg/m3	Respirable dust.	
lreland. Occupational Exposure Limits Components	Туре	Value	ue Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.	
taly. Occupational Exposure Limits Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.	
Lithuania. OELs. Limit Values for Chemic	cal Substances, Genera	al Requirements		
Components	Туре	Value	Form	
Respirable Crystaline Silica Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.	
Netherlands. OELs (binding) Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.	
Norway. Administrative Norms for Contain			_	
Components	Туре	Value	Form	
Respirable Crystaline Silica Encapsulated) (CAS 14808-60-7)	TLV	0,3 mg/m3	Total dust.	
,		0,1 mg/m3	Respirable dust.	
Ordinance of the Minister of Labour and S intensities of harmful health factors in the			ssible concentrations and	
Components	Туре	Value	Form	
Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.	
Portugal. VLEs. Norm on occupational ex Components	posure to chemical ag	ents (NP 1796) Value	Form	
Respirable Crystaline Silica Encapsulated) (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.	
Slovakia. OELs for carcinogens and muta	agens. Regulation No. 4	46/2002 on carcinogenic and n Value	nutagenic substances Form	
	TWA	¥ uiuG		

Material name: PLAM MIX SDS EU

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia) **Form** Components Value Type Respirable Crystaline Silica **TWA** 0,05 mg/m3 Respirable fraction. (Encapsulated) (CAS 14808-60-7) Spain. Occupational Exposure Limits Components Value **Form Type** Respirable Crystaline Silica **TWA** 0,05 mg/m3 Respirable fraction. (Encapsulated) (CAS 14808-60-7) Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) Components Value **Form** Type Respirable Crystaline Silica **TWA** $0,1 \, \text{mg/m}3$ Respirable dust. (Encapsulated) (CAS 14808-60-7) Switzerland. SUVA Grenzwerte am Arbeitsplatz **Form** Components **Type** Value Respirable Crystaline Silica **TWA** 0,15 mg/m3 Respirable fraction. (Encapsulated) (CAS 14808-60-7) **UK. EH40 Workplace Exposure Limits (WELs)** Value **Form** Components **Type TWA** Respirable Crystaline Silica 0,1 mg/m3 Respirable. (Encapsulated) (CAS 14808-60-7) EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A Components Type Value **Form TWA** Respirable Crystaline Silica 0,1 mg/m3 Respirable fraction and (Encapsulated) (CAS dust 14808-60-7) No biological exposure limits noted for the ingredient(s). **Biological limit values** Follow standard monitoring procedures. Recommended monitoring procedures Derived no effect levels Not available. (DNELs) Predicted no effect Not available. concentrations (PNECs) 8.2. Exposure controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If Appropriate engineering applicable, use process enclosures, local exhaust ventilation, or other engineering controls to controls maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment **General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Wear safety glasses with side shields (or goggles). Eye/face protection Skin protection - Hand protection Wear appropriate chemical resistant gloves. Wear suitable protective clothing. - Other In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Good general ventilation should be used. Ventilation rates should be matched to conditions. If **Environmental exposure**

Material name: PLAM MIX SDS EU

established, maintain airborne levels to an acceptable level.

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical stateSolid.FormPellets.ColourGreenOdourSlight.

Odour threshold Not available. pH Not available.

Melting point/freezing point 80 - 150 °C (176 - 302 °F)

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Density 1,35 - 1,45 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

Based on available data, the classification criteria are not met.

Eye contact

Based on available data, the classification criteria are not met.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Material name: PLAM MIX SDS EU

Acute toxicity Not known.

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Respirable Crystaline Silica (Encapsulated) 1 Carcinogenic to humans.

(CAS 14808-60-7)

Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Other information

No information available.

This product has no known adverse effect on human health.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

No data available 12.3. Bioaccumulative potential **Partition coefficient**

n-octanol/water (log Kow)

12.4. Mobility in soil

Not available.

Bioconcentration factor (BCF)

Not available. No data available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste **EU** waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

Material name: PLAM MIX SDS EU 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Respirable Crystaline Silica (Encapsulated) (CAS 14808-60-7)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Not available. List of abbreviations References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

Revision information None.

Training information Follow training instructions when handling this material.

Disclaimer This safety data sheet (SDS) is issued based on the latest reference, data etc currently available.

The information in this SDS has been carefully assessed, but no guarantee is given for its accuracy. We cannot anticipate all conditions under which this product may be used. It is the

user's responsibility to take appropriate safety measures for handling.

H372 Causes damage to organs through prolonged or repeated exposure.

Material name: PLAM MIX SDS FU